

WPANT30051-RA



Description / Application

This is a high gain Paraboloid antenna that operates in the 2.4 GHz Wi-Fi band. It comes with a 11.8" long 7D-FB cable and Type-N female connector. The antenna is at DC ground to ensure protection against lightning.

We can assist your engineers to optimize mounting positions for these antennas in your specific application and can further customize the antennas for your specific needs. Please contact sales@worldproducts.com with your specific application requirements.

Electrical Properties

Operating Frequency	2.4 – 2.5 GHz
Approximate Antenna Impedance [Ω]	50 Ω
VSWR – Typical	< 2:1
Peak Gain [dBi] (Typical)	24 dBi
Polarization	Vertical or Horizontal
Pattern	Directional (> 30 dB front-to-back ratio)
Accepted Power [W] (Max)	50 Watts
Lightning Protection	DC ground

Mechanical / Environmental Properties	
Antenna Dimensions	39.4" X 23.4" X 7.8" (1000mm X 595mm X 199mm)
Antenna Color	Metallic Grey
Cable	11.8" long 7D-FB
Connector	Type-N Female
Operating / Storage Temperature	-40°C to +90°C
Environmental	Meets standards for UL 94V-0
Hazardous Materials	RoHS Compliant



Pictures of the Antenna

